


QinChuan Slide

— BeiJing QinChuan Slide —



www.qinking.com

China Beijing Of ice

Tel: +86-010-010-56199660 010-56199668

Fax: +86-010-6034-9600

E-mail: 3063864511@qq.com



Contents

Heavy rail

3076	Extra Heavy Duty Full Extension Slide(Load capacity227KG)	2
3076J	Heavy self-locking slide(Load capacity 227KG)	3
3053J	The three section heavy self-locking ball slide show(Load	4
3053	capacity115KG) Full Extension Slide(Load capacity115KG)	5
3053HJ	Heavy-Duty Each Closing Slides(Load capacity80KG)	6
3053G	Heavy-Duty Self Closing Slides(Load capacity90KG)	7
3051	Full Extension Slide(Load capacity68KG)	8
3051M	Heavy-Duty Soft Closing Slides(Load capacity 65KG)	9

Medium slide

3045	The three section ball slide(Load capacity45KG)	10
2035	The two section ball slide (Load capacity 35KG)	11

Light rail

2027	The two section ball slide (Load capacity 25KG)	12
-------------	---	----


High bearing rail industry

QC3076S	The double-layer high-strength industrial high load bearing rail(Load capacity 500KG)	13
----------------	---	----

Hidden type Slide

QC230	Two built-in self sliding ball bearing slide	14
QC330	Three built-in self sliding ball bearing slide	15

3076



Extra Heavy Duty Full Extension Slide(Load capacity227KG)

Specification

Length:8"-60"
 Height: 76.2mm
 Side space: 19.1+0.7mm
 Finishing: Electro-zinc plated with clear or color chromate. Load capacity:500lbs/pair
 Material: Work hardened cold rolled steel.

Characteristic

100% of travel, can not be split

Scope

Container Warehouse shopping malls, large storage devices, special vehicles, financial, industrial drawers, trays, etc.




Dimensions

		行程-???度																度 L)	
		A B C D E F G H J K L M N P Q R S																	
3076-60	1524	1524	127	190.5	368.3	520.7	825.5	1312.9	1373.1	1398.5	1417.6	1436.6	235	596.9	958.8	1422.4	1479.6	1498.6	
3076-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	1347.7	1366.8	1385.8	235	596.9	958.8	1371.6	1428.8	1447.8	
3076-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	1296.9	1316	1335	235	596.9	958.8	1320.8	1378	1397	
3076-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	1246.1	1265.2	1284.2	235	596.9	958.8	1270	1327.2	1346.2	
3076-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	1195.3	1214.4	1233.4	235	596.9	958.8	1219.2	1276.4	1295.4	
3076-50	1270	1270	127	190.5	368.3	520.7	825.5	1058.9	1119.1	1144.5	1163.6	1182.6	235	596.9	958.8	1168.4	1225.6	1244.6	
3076-48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	1093.7	1112.8	1131.8	235	596.9	958.8	1117.6	1174.8	1193.8	
3076-46	1168.4	1168.4	127	190.5	368.3	520.7		957.3	1017.5	1042.9	1062	1081	235	571.5	908.1	1066.8	1124	1143	
3076-44	1117.6	1117.6	127	190.5	368.3	520.7		906.5	966.7	992.1	1011.2	1030.2	235	546.1	857.3	1016	1073.2	1092.2	
3076-42	1066.8	1066.8	127	190.5	368.3	520.7	723.9	855.7	915.9	941.3	960.4	979.4	235	520.7	806.5	965.2	1022.4	1041.4	
3076-40	1016	1016	127	190.5	368.3	520.7		804.9	865.1	890.5	909.6	928.6	235	495.3	755.7	914.4	971.6	990.6	
3076-38	965.2	965.2	127	190.5	368.3	520.7		754.1	814.3	839.7	858.8	877.8	235	469.9	704.9	863.6	920.8	939.8	
3076-36	914.4	914.4	127	190.5	368.3	520.7		703.3	763.5	788.9	808	827	235	444.5	654.1	812.8	870	889	
3076-34	863.6	863.6	127	190.5	368.3	469.9		652.5	712.7	738.1	757.2	776.2	235	419.1	603.3	762	819.2	838.2	
3076-32	812.8	812.8	127	190.5	368.3			601.7	661.9	687.3	706.4	725.4	235	393.7	552.5	711.2	768.4	787.4	
3076-30	762	762	127	190.5	368.3			550.9	611.1	636.5	655.6	674.6	235	501.6	660.4	717.6	736.6		
3076-28	711.2	711.2	127	190.5				500.1	560.3	585.7	604.8	623.8			609.6	666.8	685.8		
3076-26	660.4	660.4	127	190.5				449.3	509.5	534.9	553.9	573			558.8	615.9	635		
3076-24	609.6	609.6	127	190.5				398.5	458.7	484.1	503.2	522.2			508	565.2	584.2		
3076-22	558.8	558.8	127	190.5				347.7	407.9	433.3	452.4	471.4			457.2	514.4	533.4		
3076-20	508	508	127	190.5				296.9	357.1	382.5	401.6	420.6			406.4	463.6	482.6		
3076-18	457.2	457.2	127					246.1	306.3	331.7	350.8	369.8			355.6	412.8	431.8		
3076-16	406.4	406.4	127					255.5	280.9	299.9	319				304.8	361.9	381		
3076-14	355.6	355.6						204.7	230.1	249.2	268.2				254	311.2	330.2		
3076-12	304.8	304.8						153.9	179.3	198.4	217.4				203.2	260.4	279.4		
3076-10	254	254						103.1	128.5	147.6	166.6				152.4	209.6	228.6		
型号	L	A	B	C	D	E	F	G	H	J	K	M	N	P	Q	R	S		

3076J

Heavy self-locking slide(Load capacity 227KG)



Specification

length : 8"~60"

Load capacity: 500lbs[227kg]/457.2mm(18")

Side space: .75"[19.1mm]*3"[76.2mm]

Finishing: Blue zinc plated, color zinc plating environmental

Material : Work hardened cold rolled steel.

Characteristic

Intelligent hop out of the lock, intelligent closed piecewise unlock locked safe one-button operation. 100% of travel, can not be split.

Scope

Safe loading equipment, storage containers malls, large storage devices, special vehicles, financial, industrial drawers, trays, etc.



Dimensions

Model	I	L	A	B	C	D	E	F	G	H	J	K	M	N	P	Q
3076J-50	1524	1524	127	190.5	368.3	520.7	825.5	1312.9	1373.1	1398.5	1417.6	1436.6	215.9	577.8	939.7	1403.3
3076J-58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	1347.7	1366.8	1385.8	215.9	577.8	939.7	1352.5
3076J-56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	1296.9	1316	1335	215.9	577.8	939.7	1301.7
3076J-54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	1246.1	1265.2	1284.2	215.9	577.8	939.7	1250.9
3076J-52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	1195.3	1214.4	1233.4	215.9	577.8	939.7	1200.1
3076J-50	1270	1270	127	190.5	368.3	520.7	825.5	1058.9	1119.1	1144.5	1163.6	1182.6	215.9	577.8	939.7	1149.3
3076J-48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	1093.7	1112.8	1131.8	215.9	577.8	939.7	1098.5
3076J-46	1168.4	1168.4	127	190.5	368.3	520.7	825.5	957.3	1017.5	1042.9	1062	1081	215.9	577.8	939.7	1047.7
3076J-44	1117.6	1117.6	127	190.5	368.3	520.7	825.5	906.5	966.7	992.1	1011.2	1030.2	215.9	577.8	939.7	996.9
3076J-42	1066.8	1066.8	127	190.5	368.3	520.7	825.5	855.7	915.9	941.3	960.4	979.4	215.9	577.8	939.7	946.1
3076J-40	1016	1016	127	190.5	368.3	520.7	825.5	804.9	865.1	890.5	909.6	928.6	215.9	577.8	939.7	895.3
3076J-38	965.2	965.2	127	190.5	368.3	520.7	825.5	754.1	814.3	839.7	858.8	877.8	215.9	577.8	939.7	844.5
3076J-36	914.4	914.4	127	190.5	368.3	520.7	825.5	703.3	763.5	788.9	808	827	215.9	577.8	939.7	793.7
3076J-34	863.6	863.6	127	190.5	368.3	520.7	825.5	652.5	712.7	738.1	757.2	776.2	215.9	577.8	939.7	742.9
3076J-32	812.8	812.8	127	190.5	368.3	520.7	825.5	601.7	661.9	687.3	706.4	725.4	215.9	577.8	939.7	692.1
3076J-30	762	762	127	190.5	368.3	520.7	825.5	550.9	611.1	636.5	655.6	674.6	215.9	577.8	939.7	641.3
3076J-28	711.2	711.2	127	190.5	368.3	520.7	825.5	500.1	560.3	585.7	604.8	623.8	215.9	577.8	939.7	590.5
3076J-26	660.4	660.4	127	190.5	368.3	520.7	825.5	449.3	509.5	534.9	553.9	573	215.9	577.8	939.7	539.7
3076J-24	609.6	609.6	127	190.5	368.3	520.7	825.5	398.5	458.7	484.1	503.2	522.2	215.9	577.8	939.7	488.9
3076J-22	558.8	558.8	127	190.5	368.3	520.7	825.5	347.7	407.9	433.3	452.4	471.4	215.9	577.8	939.7	438.1
3076J-20	508	508	127	190.5	368.3	520.7	825.5	296.9	357.1	382.5	401.6	420.6	215.9	577.8	939.7	387.3
3076J-18	457.2	457.2	127	190.5	368.3	520.7	825.5	246.1	306.3	331.7	350.8	369.8	215.9	577.8	939.7	336.5
3076J-16	406.4	406.4	127	190.5	368.3	520.7	825.5	195.3	255.5	280.9	299.9	319	215.9	577.8	939.7	285.7
3076J-14	355.6	355.6	127	190.5	368.3	520.7	825.5	144.5	204.7	230.1	249.2	268.2	215.9	577.8	939.7	234.9
3076J-12	304.8	304.8	127	190.5	368.3	520.7	825.5	93.7	153.9	179.3	198.4	217.4	215.9	577.8	939.7	184.1

3053J

The three section heavy self-locking ball slide
show(Load capacity115KG)



Specification

length: 8"~60"

Side space:19.1mm*53mm

Load capacity:250lbs[115kg]/457.2mm(18")

Finishing : Blue zinc plated, color zinc, environmental protection
electroplating

Material : Work hardened cold rolled steel.

Characteristic


100% stroke, self lock, three sections can be split,
special travel can be customized processing

Scope

Container Warehouse shopping malls, large storage devices, special vehicles, financial, industrial drawers, trays, etc.



Dimensions



3053

Full Extension Slide(Load capacity115KG)



Specification

Length:12 "-28 ".
Height: 51mm
Side space: 12.7+0.2mm
Finishing: Electro-zinc plated with clear or color chromate.
Load capacity:150lbs/pair
Material: Work hardened cold rolled steel.

Characteristic


100% of the trip, three detachable, special trip can be customized processing

Scope

Container Warehouse shopping malls, large storage devices, special vehicles, financial, industrial drawers, trays, etc.



Dimensions



3053HJ

Heavy-Duty Each Closing Slides(Load capacity80KG)

Specification

Width: 53MM

Load: 80KG

Size: 10"-30"

Finishing: Zinc-


plated,Black,Color-zinc

Material: SPCC,SGCC,SUS304

Product Image



Dimensions



3053G

Heavy-Duty Self Closing Slides(Load capacity90KG)

Specification

Width: 53MM

Load: 90KG

Size: 10"-30"


Finishing: Zinc-plated,Black,Color-zinc

Material: SPCC,SGCC,SUS304


Product Image



Dimensions



SIZE	L	H	A	B	C	D	A2	B2	C2
14"	350	350	160	-	-	-	224	-	-
16"	400	400	128	96	-	-	128	128	-
18"	450	450	160	128	-	-	160	128	-
20"	500	500	192	128	-	-	160	160	-
22"	550	550	128	160	96	-	192	192	-
24"	600	600	128	160	128	-	224	224	-
26"	650	650	128	192	160	-	128	128	224
28"	700	700	128	192	192	-	128	160	224
30"	750	750	128	224	192	-	128	160	256
32"	800	800	128	224	128	160	256	256	128



Thickness Range	
①	2.2×1.8×1.8mm

3051

Full Extension Slide(Load capacity68KG)

Specification

Length:12 "-28 ".
 Height: 51mm
 Side space: 12.7+0.2mm
 Finish: Electro-zinc plated with clear or color chromate.
 Load capacity:150lbs/pair
 Material: Work hardened cold rolled steel.

Characteristic


Choose form of diversification

Scope

And office furniture with drawers, cabinets and commercial display cabinets, basket, trays, etc.



Dimensions



3051M

Heavy-Duty Soft Closing Slides(Load capacity65KG)



Heavy rail

Specification


- Width: 51.5MM
- Load: 65KG
- Size: 10"-30"
- Finishing: Zinc-plated,Black,Color-zinc
- Material: SPCC,SGCC,SUS304

Scope

And office furniture with drawers, cabinets and commercial display cabinets,



Dimensions



3045

The three section ball slide(Load capacity45KG)

Specification

Capacity: 45 KGS
Tested: ANS/BIFMA Standards
Material: cold-rolled steel.with precision steel ball bearings
Finishing:Clear zinc plated. Also avabile in black
Size : 250-600mm (10"-24")
Pacjing:15 pair per carton

Scope

Cradle metal cabinets or household metal basket drawers




Characteristic

Hidden pumped full buffer bottom rail
Mute cushioning device with a more rapid response

Product number

Product number	Size (mm)	Load (kg)	Whether the custom
3045	250-600	45	Y
3045-02	300-600	45	Y
3045-03	300-600	45	Y
3045-05	300-600	45	Y
3045-19	300-600	45	Y
3045-HY01	300-600	45	Y
3045-HY02	300-600	45	Y

Dimensions



Medium slide

2035

The two section ball slide (Load capacity 35KG)



Specification

Size: 300mm-550mm(12"~22")
Load: 35KG(16")
Finshing: White, color, black
Material: Cold rolled steel sheet

Characteristic

The shape is thin, with separable and brake loose;
the inner rail installation support

Scope


Drawer cabinets, office and home or household
metal basket of the drawer



Product number

Product number	Size (mm)	Load (kg)	Whether the custom
2035	300-550	35	Y
2035-02(带插)	300-550	35	Y
2035-02(带耳)	300-550	35	Y
2035-06	300-500	15	Y
2035-10	300-500	25	Y

Dimensions



2027



The two section ball slide (Load capacity 25KG)

Specification

Capacity: 25 KGS
Tested: ANS/BIFMA Standards
Material: cold-rolled steel.with precision steel ball bearings
Finishing:Clear zinc plated. Also avilable in black
Size : 300-500mm (12"-20")
Pacjing:30 pair per carton

Characteristic

The inner rail underpinning installation, can not be separated from the slide

Scope



Furniture cabinet, office furniture, office drawer, bath cabinet, wardrobe, etc.




Product number

Product number	Size(mm)	Load(kg)	Whether the custom
2027	300mm-600mm	25KG(16")	Y
2027-05	300mm-500mm	25KG(16")	Y
2027-10	300mm-500mm	15KG(14")	Y

Dimensions




外轨	内轨	珠架	规格	行程L	A	B
246	246	3:	10"	174	85	32
296	296	4:	12"	200	135	82
346	346	5:	14"	226	185	132
396	396	6:	16"	252	235	182
446	446	7:	18"	278	285	232
496	496	8:	20"	304	335	282
546	546	9:	22"	330	385	332
596	596	10:	24"	356	435	382
646	646	11:	26"	382	485	432
696	696	12:	28"	408	535	482
746	746	13:	30"	434	585	532
796	796	14:	32"	460	635	582



Thickness Range	
①	1.0×1.0mm
②	1.2×1.2mm
③	

QC330-01



Three built-in self sliding ball bearing slide

Specification

Size: 300mm-550mm(12"~22")
Load: 30kgs/450mm(18")
Finishing: White zinc, color zinc & Black
Whether the custom: Yes

Product number

Product number	Size(mm)	Load(KG)	Whether the custom
QC3301-01(Tape damping)	300mm-550mm(12"~22")	30kgs/450mm(18")	Y
QC3301-02	300mm-550mm(12"~22")	30kgs/450mm(18")	Y

Dimensions

